according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: INRAL HAMMER anthracite (Article number) product ID.: 26-8-1-004

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU21 Consumer uses: Private households / general public / consumers

Application of the substance / the mixture: painting

Uses advised against No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

UAB TEGRA STATE

Savanoriu ave.178A, LT-03154 Vilnius, LITHUANIA

Tel.: +37052661167 www.tegrastate.eu

E-mail: info@tegragroup.eu

Further information obtainable from: Product safety department

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms





GHS02

GHS07





according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Signal word Danger

Hazard-determining components of labelling:

acetone

propan-2-ol

butanone

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Without adequate ventilation, explosive atmosphere/gas mix may be created.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Section 3: Composition/information on ingredients

3.1 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-64-1	acetone	25-<50%
EINECS: 200-662-2 Reg.nr.: 01-2119471330-49-xxxx	 ◆ Flam. Liq. 2, H225; ◆Eye Irrit. 2, H319; STOT SE 3, H336, EUH066 	
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane	5-<10%
	◆ Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018	



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

CAS: 106-97-8	butane (containing £ 0,1 % butadiene (203-450-8))	5-<10%	
EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	♦ Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018		
CAS: 9004-70-0 Reg.nr.: no Reach No. availlable	nitrocellulose with water(not less than 25% water, by mass)	5-<10%	
	♦ Expl. 1.1, H201		
CAS: 1330-20-7	xylene, mixture of isomers	5-<10%	
EINECS: 215-535-7 Reg.nr.: 01-2119488216-32-xxxx	♦ Flam. Liq. 3, H226; ♦ STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		
CAS: 75-28-5 EINECS: 200-857-2	isobutane (containing £ 0,1 % butadiene (203-450-8))	2,5-<5%	
Reg.nr.: 01-2119485395-27-xxxx	♦ Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018		
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	2,5-<5%	
	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336		
CAS: 100-41-4	ethylbenzene	1-<2,5%	
EINECS: 202-849-4 Reg.nr.: 01-2119489370-35-xxxx	♦ Flam. Liq. 2, H225; ♦ STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Acute Tox. 4, H332		
CAS: 78-93-3	butanone	1-<2,5%	
EINECS: 201-159-0 Reg.nr.: 01-2119457290-43-xxxx	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336		
CAS: 71839-81-1	C.I. Solvent Orange 41	≥0,025-<0,25%	
Reg.nr.: 01-2120760580-57-xxxx	♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Section 5: Firefighting measures

5.1 Extinguishing media -

Suitable extinguishing agents: Cool container whit water

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Section 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients	with limit values that require monitoring at the workplace:	
67-64-1 ace		
WEL	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm	
106-97-8 bu	tane (containing ≤ 0,1 % butadiene (203-450-8))	
WEL	Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)	
1330-20-7 x	ylene, mixture of isomers	
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV	
67-63-0 pro	pan-2-ol	
WEL	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
100-41-4 et	hylbenzene	
WEL	Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk	
78-93-3 but	anone	
WEL	Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV	
Ingredients	with biological limit values:	
1330-20-7 x	ylene, mixture of isomers	
BMGV	650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid	
78-93-3 but	anone	
BMGV	70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:



When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Half mask with combination filter, class A1P2 minimum, or breathing mask with outer air supply.

Hand protection

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber, NBR

Penetration time of glove material

Gloves must be changed after every contamination.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

butyl rubber, 0,7mm

Eye/face protection

Safety glasses



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Colour:

Odour:

Odour threshold:

Melting point/freezing point:

Boiling point or initial boiling point and boiling

range

Flammability

Lower and upper explosion limit

Lower:

Upper:

Aerosol

According to product specification

Characteristic
Not determined.

Not determine

Undetermined.

-44.5 °C

Not applicable.

2.6 Vol %

13 Vol %



Page 6

according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Flash point: <0 °C Ignition temperature: 365 °C

Decomposition temperature:PH
Not determined.
Not determined.

Viscosity:

Kinematic viscosity Dynamic:Not determined.
Not determined.

Solubility

water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 233 hPa **Density and/or relative density**

Relative density
Not determined.
Vapour density
Not determined.

9.2 Other information

Appearance:

Form: Aerosol

Important information on protection of health and environment, and on safety.

Auto-ignition temperature:Product is not selfigniting.Explosive properties:Product is not explosive. However, formation

of explosive air/vapour mixtures are possible.

Not determined.

Solvent content:

Organic solvents: 76.4 % With propellant gas. Content given by weight.

VOC (EU) 76.45 % **Solids content:** 17.1 %

Solids content: 17.1 % Change in condition

Evaporation rateInformation with regard to physical hazard classes

Explosives Void
Flammable gases Void

Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

Oxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoid

Pyrophoric liquids Void
Pyrophoric solids Void
Self-heating substances and mixtures Void

Self-heating substances and mixtures Vo Substances and mixtures, which emit flammable

gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoid

Oxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Inhalative	LC50/4 h	590 mg/l

Serious eye damage/irritation Causes serious eye irritation.

STOT-single exposure May cause drowsiness or dizziness.

11.2 Information on other hazards

Endocrine disrupting properties		
540-97-6	Dodecamethylcyclohexasiloxan	List II
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2** Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Ikke relevant.





according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

IATA AEROSOLS, flammable

14.3 Transport hazard class(es)

ADR



Class2 5F Gases.Label2.1

IMDG, IATA



Class 2.1 Gases. Label 2.1

14.4 Packing group

ADR, IMDG, IATA Void

not classified

14.5 Environmental hazards:

Marine pollutant: No





according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

14.6 Special precautions for user Warning: Gases. Hazard identification number (Kemler code): -

not classified F-D,S-U

Stowage Code SW1 Protected from sources of heat.

Segregation Code SG69 For AEROSOLS with a maximum capacity of 1

litre:

Segregation as for class 9. Stow "separated from" class 1

except for division 1.4.

SW2 Clear of living quarters.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Not applicable.

Segregation as for the appropriate subdivision of class 2.

14.7 Maritime transport in bulk according to IMO

instruments

Transport/Additional information:

ADR

Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

Transport category 2 **Tunnel restriction code** D

IMDG

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation":UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC: <840g/l

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

National regulations:

Technical instructions (air):

Class	Share in %
NK	50-100

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H201 Explosive; mass explosion hazard.

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH018 In use may form flammable/explosive vapour-air mixture.

EUH066 Repeated exposure may cause skin dryness or cracking.

Department issuing SDS: Product safety department

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Expl. 1.1: Explosives - Division 1.1

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

: Aerosols – Category 3

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2



SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Printing date 15.11.2022 Revision: 15.11.2022

Version number 1



TRADE NAME: INRAL HAMMER ANTHRACITE

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.

